

As the opportunities present, Hudson will acquire and make available used, or warranty, machinery and equipment. While no longer brand new, these machines are thoroughly inspected for broken or worn parts and are then subjected to a comprehensive rebuilding program, carried out by our own expert technicians in our Haverhill factory. Once completed, they are again run off and inspected and carry the same guarantee as any of our new machines.

Obviously availability is conditional upon prior sale and whereas we can always provide a new machine to order, our warranty machines are attractively priced.

All machines are shipped complete with, documentation, hydraulic oil, polypropylene cutting surface, and are suitable for operation on 220/230 volts 3ph 60 Hz electrical services.


Currently available:

Samco Series 120 FH: 2009

Warranty condition.

Featuring:

- 150 US tons Cutting Capability**
- 2000 mm x 920 mm (78.7" x 36")**
- Twin Manual Work Trays, with Integrated Two Hand Tripping mechanisms.**
- Differential Daylight (Two Lower limits)**
- Maximum Stroke 134 mm (5.2")**
- Maximum Open daylight 175 mm (6.9")**



This machine is available in Warranty condition.

Samco TC115-1710 with Single Manual Work Tray

Maximum Cutting Force	115 tons
Cutting area	67" x 41"
Maximum Daylight	6.3"
Maximum Stroke	6.8"
Down stroke speed	3" / sec.
Up Stroke speed	1.8" / sec.
Dimensions (w x d x h)	99.8" x 140.3" x 66.3"
Weight	12650 lbs.



This machine is available in Warranty condition.

If you would like more information or wish to check on the continued availability of these used machines, please contact . . .

David Lees at 513.324.4243
Email: dlees@hudsoncutting.com

Samco TC 75-1108 *with Single Manual Work Tray*

- ~~Single Manual Work Tray~~
- ~~Manual Ratchet Low Point Stops~~
- ~~Ideal for "kiss-cutting"~~

Model	1108	1708
Cutting Force	75 US TONS	
Cutting Area	44" x 32"	67" x 32"
Tray Height	39"	
Cutting Stroke (max.)	6.8"	
Daylight *(min / max)	1.5" – 8.3"	
Weight	3 Tons	3.6 Tons
Down - stroke Speed	5.2" / sec	
Up - stroke Speed	4" / sec	
Dimensions	84.5" x 39.5" x 71"	110.3" x 39.5" x 71"
Overall Depth (with tray)	116"	116"
Motor Power	10 Hp (7.5kW)	
Oil Capacity	37 US gals (140 liters)	



This machine is available in Warranty condition.

Samco TC 75-1708 *with Twin Manual Work Trays*

- Twin Manual Work Tray
- Differential Daylight
- Works with Two Operators

This machine is available in Warranty condition.

If you would like more information or wish to check on the continued availability of these used machines, please contact . . .

David Lees at 513.324.4243
Email: dlees@hudsoncutting.com

Fortuna NAF-470

Featuring:

- NAF470 with dial gauge of splitting thickness.
- Cutting edge positioned permanently forward, into two guides, by forward-steering drums controllable by two magnifying glasses.

Machine equipment:	NAF 470	NAF 470 E
Upper driven presser roll	X	X
Presser bar	O	X
Rubber feed roll	X	X
Scrap suction device	X	X
Work lamp	X	X
Thickness gauge	X	-
Thickness gauge digital	-	X
Sound absorber for suction device	X	X
Grinding dust suction device / Metal filter	X	X
Profile bar attachment	O	O
Profile roller attachment	O	O
Roller table	O	O

O = optional X = in series

Type	NAF 470 / NAF 470 E
Working width (mm)	470
Min. split. thickness: roll (mm)	0,5
Min. split. thickness: bar (mm)	0,2
Max. clearance (mm)	8,0
Noise emission dB(A)	78
Stepless, electronic drive of feed roller (m/min)	2,2-24,6
Dimensions (cm)	
Length, width, height	160, 100, 130
Electrical connection (kVA)	4,4
Net weight (kg)	700
Gross weight (kg) case	910
crate	835
Packing dimensions (cm)	
Length, width, height	175, 115, 146



This machine is available in Warranty condition.

Fortuna AB320

Featuring:

- AB320 with dial gauge of splitting thickness.
- Cutting edge positioned permanently forward, into two guides, by forward-steering drums controllable by two magnifying glasses.
- The machine is suitable for pattern skiving.

Machine equipment:	AB 320	AB 320 E
Upper driven presser roll	X	X
Presser bar	O	X
Rubber feed roll	X	X
Step-less feed drive	X	X
Scrap suction device	X	X
Work lamp	O	X
Thickness gauge	O	-
Thickness gauge digital	-	X
Sound absorber for suction device	O	X
Grinding dust suction device / Metal filter	O	O
Profile bar attachment	O	O
Profile roller attachment	O	O
Roller table	O	O

O = optional X = in series

Type	AB 320 / AB 320 E
Working width (mm)	320
Min. split. thickness: roll (mm)	0,5
Min. split. thickness: bar (mm)	0,2
Max. clearance (mm)	8,0
Noise emission dB(A)	78
Infinitely variable feed drive, electronically adjustable (mm/min)	2,2-24,6
Dimensions (cm)	
Length, width, height	140, 100, 130
Electrical connection (kVA)	4,4
Net weight (kg)	510
Gross weight (kg) case	720
crate	650
Packing dimensions (cm)	
Length, width, height	175, 115, 146



This machine is available in Warranty condition.

If you would like more information or wish to check on the continued availability of these used machines, please contact . . .

David Lees at 513.324.4243
Email: dlees@hudsoncutting.com

USM GTH 2065 Traveling Head Cutting Press

Maximum Cutting Force	30 tons
Width between Frame	78.5"
Maximum Daylight	7"
Maximum Stroke	6"
Effective Cutting Area	74" x 25.6"
Head Size	25.6" x 25.6"
Dimensions (w x d x h)	95.2" x 25.6" x 93.3"
Weight	4565 lbs.



Available in running condition

HCM – B (Warranted) Swing Beam

We occasionally have machines available for sale in a fully rebuilt condition.

15 tons, 20" x 40" table with 24" wide beam

Out of Stock



If you would like more information or wish to check on the continued availability of these used machines, please contact . . .

David Lees at 513.324.4243
Email: dlees@hudsoncutting.com



SB 20

SB 25



We have only one of each of these machines offered in Warranty condition

SOLD

MAV/ FAB 13 Automatic Swing Beams



Featuring:

Front Photo screen Guarding	
Capacity	23 US tons
With; Head and Bed size	31.5" x 19.6"
Maximum Stroke	1.8"

**2 Only...
Brand New**

If you would like more information or wish to check on the continued availability of these used machines, please contact . . .

David Lees at 513.324.4243
Email: dlees@hudsoncutting.com